**Docket No.: PF-0211-2 DIV** 

## IN THE CLAIMS

Please cancel claims 3-9, 12-15, and 27-28 without prejudice or disclaimer.

Please add the following new claims 45-57.

For the Examiner's convenience, all pending claims are listed below. Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

## What is claimed is:

- 1. An isolated polypeptide selected from the group consisting of:
- a) a polypeptide comprising the amino acid sequence of SEQ ID NO:1,
- b) a polypeptide comprising a naturally occurring amino acid sequence at least 90% identical to the amino acid sequence of SEQ ID NO:1,
- c) a fragment of a polypeptide having the amino acid sequence of SEQ ID NO:1, wherein said fragment binds to microtubules and
- d) an immunogenic fragment of a polypeptide having the amino acid sequence of SEQ ID NO:1.
  - 2. An isolated polypeptide of claim 1 comprising the amino acid sequence of SEQ ID NO:1.
  - 10. An isolated antibody which specifically binds to a polypeptide of claim 1.
  - 11. An isolated polynucleotide selected from the group consisting of:
  - a) a polynucleotide comprising the polynucleotide sequence of SEQ ID NO:2,
- b) a polynucleotide comprising a naturally occurring polynucleotide sequence at least 90% identical to the polynucleotide sequence of SEQ ID NO:2,
  - c) a polynucleotide complementary to a polynucleotide of a),
  - d) a polynucleotide complementary to a polynucleotide of b), and
  - e) an RNA equivalent of a)-d).
  - 30. The antibody of claim 10, wherein the antibody is:
  - a) a chimeric antibody,
  - b) a single chain antibody,
  - c) a Fab fragment,
  - d) a F(ab')<sub>2</sub> fragment, or









e) a humanized antibody.

- 43. A method of detecting a polypeptide having the amino acid sequence of SEQ ID NO:1 in a sample, comprising the steps of:
- a) incubating the antibody of claim 10 with a sample under conditions to allow specific binding of the antibody and the polypeptide; and
- b) detecting specific binding, wherein specific binding indicates the presence of a polypeptide having the amino acid sequence of SEQ ID NO:1 in the sample.
- 44. A method of purifying a polypeptide having the amino acid sequence of SEQ ID NO:1 from a sample, the method comprising:





- 45. (New) A method for a diagnostic test for a condition or disease associated with the expression of hLC3 in a biological sample comprising the steps of:
- a) combining the biological sample with an antibody of claim 10, under conditions suitable for the antibody to bind the polypeptide and form an antibody:polypeptide complex; and
- b) detecting the complex, wherein the presence of the complex correlates with the presence of the polypeptide in the biological sample.
  - 46. (New) A composition comprising an antibody of claim 10 and an acceptable excipient.
- 47. (New) A method of diagnosing a condition or disease associated with the expression of hLC3 in a subject, comprising administering to said subject an effective amount of the composition of claim 46.




111087

4

09/904,603

Docket No.: PF-0211-2 DIV

- 48. (New) A composition of claim 46, further comprising a label.
- 49. (New) A method of diagnosing a condition or disease associated with the expression of hLC3 in a subject, comprising administering to said subject an effective amount of the composition of claim 48.
- 50. (New) A method of preparing a polyclonal antibody with the specificity of the antibody of claim 10 comprising:
- a) immunizing an animal with a polypeptide having the amino acid sequence of SEQ ID NO:1, or an immunogenic fragment thereof, under conditions to elicit an antibody response;
  - b) isolating antibodies from said animal; and
- c) screening the isolated antibodies with the polypeptide, thereby identifying a polyclonal antibody which binds specifically to a polypeptide having the amino acid sequence of SEQ ID NO:1.
  - 51. (New) An antibody produced by a method of claim 50.



- 53. (New) A method of making a monoclonal antibody with the specificity of the antibody of claim 10 comprising:
- a) immunizing an animal with a polypeptide having the amino acid sequence of SEQ ID NO:1, or an immunogenic fragment thereof, under conditions to elicit an antibody response;
  - b) isolating antibody producing cells from the animal;
- c) fusing the antibody producing cells with immortalized cells to form monoclonal antibody-producing hybridoma cells;
  - d) culturing the hybridoma cells; and
- e) isolating from the culture monoclonal antibody which binds specifically to a polypeptide having the amino acid sequence of SEQ ID NO:1.



## Docket No.: PF-0211-2 DIV

- 54. (New) A monoclonal antibody produced by a method of claim 53.
- 55. (New) A composition comprising the antibody of claim 54 and a suitable carrier.
- 56. (New) The antibody of claim 10, wherein the antibody is produced by screening a Fab expression library.



57. (New) The antibody of claim 10, wherein the antibody is produced by screening a recombinant immunoglobulin library.